

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.



Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**








Fig. 8




Fig. 7




Fig. 6




FIG. 9




FIG. 10

Caliber	Bullet (141)	Shield Max. (145)	Shield Rear (147)	Bullet Engraving (140)
.45	≡ .452-.454	≡ .458-.460	≡ .440	≡ .456-.457
.50	≡ .502-.504	≡ .508-.510	≡ .490	≡ .506-.507
.52	≡ .522-.524	≡ .528-.530	≡ .510	≡ .526-.527
.54	≡ .542-.544	≡ .548-.550	≡ .530	≡ .546-.547
.58	≡ .582-.584	≡ .588-.590	≡ .570	≡ .586-.587

FIG. 11




FIG. 12

(Prior Art)




FIG. 13




FIG. 14



FIG. 15



FIG. 16




FIG. 17 FIG. 18 FIG. 19